


# Delta PT® 07HQ




English	Français	Deutsch	Italiano	Español
Pan head Torx Plus®	Tête cylindrique bombée large Torx Plus®	Flachkopf Torx Plus®	Testa cilindrica Torx Plus®	Cabeza alomada Torx Plus®
Steel low carbon Hardness: 320 - 380 HV10 or Steel case hardened Hardness: Surface: 500 - 650 HV0,3 Core: 270 - 390 HV10	Acier bas carbone Dureté: 320 - 380 HV10 ou Acier cémenté Dureté: Superficielle: > 450 HV0,3 à coeur: 290 à 370 HV10	Stahl Härte: 320 - 380 HV10 oder Stahl einsatzgehärtet Härte: Oberfläche: > 450 HV0,3 Kern: 290 bis 370 HV10	Acciaio al carbonio Durezza: 320 - 380 HV10 o Acciaio cementato Durezza: Surface: > 450 HV0,3 Core: 290 a 370 HV10	Acero Dureza: 320 - 380 HV10 o Acero cementado Dureza: Surface: > 450 HV0,3 Core: 290 a 370 HV10
Zinc alkaline clear <sup>1)</sup> or Zinc -nickel alkaline clear <sup>2)</sup>	Zinc alcalin claire <sup>1)</sup> ou Zinc-nickel alcalin claire <sup>2)</sup>	Zink alkalisch transparent <sup>1)</sup> oder Zink-Nickel alkalisch transparent <sup>2)</sup>	Zinco alcalino chiaro <sup>1)</sup> o Zinco-Nichel alcalino chiaro <sup>2)</sup>	Zincado y pasivado claro <sup>1)</sup> o Niquelado <sup>2)</sup>



<sup>1)</sup> 96 h / <sup>2)</sup> 720 h \*\*

≡ EJOT WN5452

\*\* : to red rust / à la rouille rouge / bis Rotrost / alla ruggine rossa / al óxido rojo (ASTM B117)



ø	ø d1	Pitch / Pas / Steigung / Passo / Paso	ø Dk	K	Torx Plus®	t	L	Part No/ref
2.0	2.00 - 2.08	0.78	3.20 - 3.50	1.48 - 1.72	6IP	0.65 - 0.85	4 ±0.375	07HQ2000402
							6 ±0.375	07HQ2000602
							8 ±0.45	07HQ2000802
							10 ±0.45	07HQ2001002
							12 ±0.55	07HQ2001202
							16 ±0.55	07HQ2001602
							18 ±0.55	07HQ2001802
2.5	2.50 - 2.60	0.95	4.10 - 4.40	1.78 - 2.02	8IP	0.80 - 1.00	6 ±0.375	07HQ2500602
							8 ±0.45	07HQ2500802
							10 ±0.45	07HQ2501002
							12 ±0.55	07HQ2501202
							16 ±0.55	07HQ2501602
							18 ±0.55	07HQ2501802
20 ±0.65	07HQ2502002							

all dimensions in mm / en millimètres / alle Maße in mm / in millimetri / en milímetros

# Delta PT® 07HQ

∅	∅ d1	Pitch / Pas / Steigung / Passo / Paso	∅ Dk	K	Torx Plus®	t	L	Part No/ref
3.0	3.00 - 3.10	1.12	5.00 - 5.30	2.18 - 2.42	10IP	1.00 - 1.30	6 ±0.375	07HQ3000602
							8 ±0.45	07HQ3000802
							10 ±0.45	07HQ3001002
							12 ±0.55	07HQ3001202
							16 ±0.55	07HQ3001602
							18 ±0.55	07HQ3001802
							20 ±0.65	07HQ3002002
							25 ±0.65	07HQ3002502
3.5	3.50 - 3.60	1.29	5.74 - 6.10	2.58 - 2.82	15IP	1.10 - 1.50	8 ±0.45	07HQ3500802
							10 ±0.45	07HQ3501002
							12 ±0.55	07HQ3501202
							16 ±0.55	07HQ3501602
							18 ±0.55	07HQ3501802
							20 ±0.65	07HQ3502002
							25 ±0.65	07HQ3502502
4.0	4.00 - 4.10	1.46	6.64 - 7.00	2.95 - 3.25	20IP	1.40 - 1.80	10 ±0.45	07HQ4001002
							12 ±0.55	07HQ4001202
							16 ±0.55	07HQ4001602
							18 ±0.55	07HQ4001802
							20 ±0.65	07HQ4002002
							25 ±0.65	07HQ4002502
							30 ±0.65	07HQ4003002
4.5	4.50 - 4.60	1.63	7.14 - 7.50	3.05 - 3.35	20IP	1.40 - 1.80	10 ±0.45	07HQ4501002
							12 ±0.55	07HQ4501202
							16 ±0.55	07HQ4501602
							18 ±0.55	07HQ4501802
							20 ±0.65	07HQ4502002
							25 ±0.65	07HQ4502502
							30 ±0.65	07HQ4503002
							35 ±0.80	07HQ4503502
5.0	5.00 - 5.15	1.80	8.44 - 8.80	3.35 - 3.65	25IP	1.50 - 1.90	10 ±0.45	07HQ5001002
							12 ±0.55	07HQ5001202
							16 ±0.55	07HQ5001602
							18 ±0.55	07HQ5001802
							20 ±0.65	07HQ5002002
							25 ±0.65	07HQ5002502
							30 ±0.65	07HQ5003002
							35 ±0.80	07HQ5003502
							40 ±0.80	07HQ5004002
45 ±0.80	07HQ5004502							

all dimensions in mm / en millimètres / alle Maße in mm / in millimetri / en milímetros



# Delta PT® 07HQ


∅	∅ d1	Pitch / Pas / Steigung / Passo / Paso	∅ Dk	K	Torx Plus®	t	L	Part No/ref
6.0	6.00 - 6.15	2.14	10.07 - 10.50	4.05 - 4.35	30IP	1.90 - 2.40	12 ±0.55	07HQ6001202
							16 ±0.55	07HQ6001602
							18 ±0.55	07HQ6001802
							20 ±0.65	07HQ6002002
							25 ±0.65	07HQ6002502
							30 ±0.65	07HQ6003002
							35 ±0.80	07HQ6003502
							40 ±0.80	07HQ6004002
							45 ±0.80	07HQ6004502
8.0	8.00 - 8.18	2.82	13.67 - 14.10	5.45 - 5.75	40IP	2.60 - 3.20	16 ±0.55	07HQ8001602
							18 ±0.55	07HQ8001802
							20 ±0.65	07HQ8002002
							25 ±0.65	07HQ8002502
							30 ±0.65	07HQ8003002
							35 ±0.80	07HQ8003502
							40 ±0.80	07HQ8004002
							45 ±0.80	07HQ8004502
							50 ±0.80	07HQ8005002
60 ±0.95	07HQ8006002							

all dimensions in mm / en millimètres / alle Maße in mm / in millimetri / en milímetros

Quality level / Niveau qualité / Qualitätsniveau / Livello qualità / Nivel de calidad: 150 ppm

Highlighted part numbers are non standard, non in stock - Références surlignées non standard et non tenues en stock -  
Markierte Artikel-Nummern sind kein Standard, keine Lagerware - I codici evidenziati non sono standard, non sono a stock -  
Referencias no estándar, generalmente no en stock

## Finishes / finition / Oberflächen / superficie / superficie

Type	Description / description / Beschreibung / descrizione / descripción			Code <sup>4)</sup>
Standard	Zinc alkaline 8 µm mini clear / Zinc alcalin 8µm mini passivation claire / Zink alkalisch 8µm min. transparent / Znco alcalino 8µm min. passivazione chiara / Zincado y pasivado claro min. 8 µm	✓	96 h	AD
Optional	Zinc alkaline 8 µm mini clear / Zinc alcalin 8µm mini passivation claire / Zink alkalisch 8µm min. transparent / Znco alcalino 8µm min. passivazione chiara / Zincado y pasivado claro min. 8 µm	✓	400 h	AF
Optional	Zinc-nickel 12 -15 % clear / Zinc-nickel 12 -15 % passivation claire / Zink-Nickel 12 -15 % transparent / Znco Nickel 12 -15 % passivazione chiara / Niquelado claro 12 -15 %	✓	720 h	BC
Optional	Zinc-nickel 12 -15 % black / Zinc-nickel 12 -15 % passivation noir / Zink-Nickel 12 -15 % schwarz / Znco Nickel 12 -15 % passivazione nera / Niquelado negro 12 -15 %	✓	720 h	BD

3) to red rust / à la rouille rouge / bis Rotrost / alla ruggine rossa / al óxido rojo

4) add code to the part number / ajoutez le code à la référence / fügen Sie den Code zur Artikel-Nummer hinzu / aggiungere il codice alla referenza / añadir numeración a la referencia